


AMENDMENTS TO THE CLAIMS

1.-48. (Cancelled)

49. (Currently amended) A compound of general formula I



wherein

R₁ is halogen, hydroxy, mercapto, trifluoromethyl, amino, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, C₁₋₄alkoxy, C₁₋₄alkylthio, C₁₋₆alkylamino, C₁₋₄alkoxycarbonyl, cyano, -CONH₂ or nitro;

R₂ is halogen, hydroxy, mercapto, trifluoromethyl, amino, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, C₁₋₄alkoxy, C₁₋₄alkylthio, C₁₋₆alkylamino, C₁₋₄alkoxycarbonyl, cyano, -CONH₂, phenyl or nitro;

R₃ represents fluoro ~~one or more, same or different substituents selected from the group consisting of hydrogen, halogen, hydroxy, mercapto, trifluoromethyl, cyano, carboxy, CONH₂, nitro, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, C₁₋₄alkoxy, C₁₋₄alkylthio, C₁₋₄alkoxycarbonyl;~~

R₄ is fluoro;

wherein R₃ is in the meta position with respect to R₄ and para with respect to -NH-

R₅, R₆ and R_c are the same or different, each representing hydrogen, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, C₃₋₈carbocyclyl, C₁₋₁₂heterocyclyl or aryl, each of C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl,

C₃₋₈carbocyclyl, C₁₋₁₂heterocyclyl or aryl being optionally substituted by one or more, same or different substituents represented by R₇;

R₇ is halogen, hydroxy, mercapto, trifluoromethyl, amino, C₁₋₄alkyl, C₁₋₆hydroxyalkyl, C₁₋₄alkoxy, C₁₋₄alkylthio, C₁₋₆alkylamino, C₁₋₄alkoxycarbonyl, C₁₋₉trialkylammonium in association with an anion, cyano, azido, nitro, -S(O)₂NH₂, -S(O)₂NR_aR_b, -S(O)₂R, -COOH, -CONH₂, -NR_aC(O)R', -CONHR' or -CONRR', wherein R and R' are same or different, each representing hydrogen or C₁₋₃alkyl;

one of R₅ and R₆ is -COOH, -C(O)NHOH, -C(O)NHNH₂, Y₂R₉, Y₂R₉Y₃R₁₀, C₁₋₆alkyl-Y₂R₉, C₁₋₆alkyl-Y₂R₉Y₃R₁₀, C₂₋₆alkenyl-Y₂R₉, C₂₋₆alkenyl-Y₂R₉Y₃R₁₀, Y₂R₉-C₁₋₆alkyl-Y₃R₁₀, Y₂R₉-C₂₋₆alkenyl-Y₃R₁₀, C₃₋₁₂carbocyclyl-Y₂R₉, C₃₋₁₂carbocyclyl-Y₂R₉Y₃R₁₀, C₁₋₁₂heterocyclyl-Y₂R₉, C₁₋₁₂heterocyclyl-Y₂R₉Y₃R₁₀, C₃₋₁₂carbocyclyl-C₁₋₆alkyl-Y₂R₉, C₃₋₁₂carbocyclyl-C₁₋₆alkyl-Y₂R₉Y₃R₁₀, C₁₋₁₂heterocyclyl-C₁₋₆alkyl-Y₂R₉, C₁₋₁₂heterocyclyl-C₁₋₆alkyl-Y₂R₉Y₃R₁₀, C₃₋₁₂carbocyclyl-C₁₋₆alkyl-Y₃R₁₀, C₁₋₁₂heterocyclyl-C₁₋₆alkyl-Y₂R₉, C₁₋₁₂heterocyclyl-C₁₋₆alkyl-Y₂R₉Y₃R₁₀, C₃₋₁₂carbocyclyl-C₁₋₁₀alkyl, C₁₋₁₀alkyl-C₁₋₁₂heterocyclyl, C₁₋₁₀alkyl-C₃₋₁₂carbocyclyl, C₁₋₁₀alkyl, C₂₋₁₀alkenyl, C₂₋₁₀alkynyl, C₃₋₁₂carbocyclyl or C₁₋₁₂heterocyclyl, each of which being optionally substituted by one or more, same or different substituents represented by R₇, and the other is hydrogen, halogen, hydroxy, mercapto, trifluoromethyl, amino, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, C₁₋₄alkoxy, C₁₋₄alkylthio, C₁₋₆alkylamino, C₁₋₄alkoxycarbonyl, cyano, -CONH₂ or nitro,

with the proviso that when R₅ or R₆ is phenyl, C₁₋₃alkyl or C₂₋₃alkenyl, said R₅ or R₆ is substituted by one or more, same or different substituents represented by R₇ (except three fluorine when R₅ or R₆ is methyl),

with the further proviso that when R₅ or R₆ is -COOH, R₃ cannot be nitro;

Y_2 is -O-, -S-, -S(O)-, -S(O)₂-, -NR_a-, -NR_aC(O)NR_b-, -NR_aC(O)-, -C(O)NR_a-, -C(O)NR_aO-, -C(O)-, -NR_aC(O)O-, -NR_aS(O)₂-, -OC(O)-, -C(O)O-, -C(O)NR_aNR_bC(S)NR_c-, -C(O)NR_aNR_b-, or -S(O)₂NR_a-;

R₉ is C₁₋₁₀alkyl-C₁₋₁₂heterocyclyl, C₁₋₁₀alkyl-C₃₋₁₂carbocyclyl, C₁₋₁₀alkyl, C₂₋₁₀alkenyl, C₂₋₁₀alkynyl, C₃₋₁₂carbocyclyl, C₁₋₁₂heterocyclyl, C₃₋₁₂carbocyclyl-C₁₋₁₀alkyl, or C₁₋₁₂heterocyclyl-C₁₋₁₀alkyl, C₃₋₆carbocyclyl-C₁₋₆alkenyl, C₃₋₆carbocyclyl-C₂₋₆alkynyl, each being optionally substituted by one or more, same or different substituents represented by R₇,

with the proviso that when Y_2 is -O-, -NR_a-, -S- or -C(O)O-, and R₉ is C₁₋₆alkyl, said C₁₋₆alkyl is substituted by one or more, same or different substituents represented by R₇;

Y_3 is -O-, -S-, -S(O)-, -S(O)₂-, -NR_a-, -NR_aC(O)NR_b-, -NR_aC(O)-, -C(O)NR_a-, -C(O)NR_aO-, -C(O)-, -NR_aC(O)O-, -NR_aS(O)₂-, -OC(O)- or -C(O)O-;

R₁₀ is C₁₋₁₀alkyl-C₁₋₁₂heterocyclyl, C₁₋₁₀alkyl-C₃₋₁₂carbocyclyl, C₁₋₁₀alkyl, C₂₋₁₀alkenyl, C₂₋₁₀alkynyl, C₃₋₁₂carbocyclyl or C₁₋₁₂heterocyclyl, each being optionally substituted by one or more, same or different substituents represented by R₇;

or, when one of R₅ or R₆ is the group -C(O)NR_aR₉, R₈ and R₉ together with the nitrogen atom to which they are attached form a C₁₋₁₂heterocyclic ring optionally comprising one or more additional heteroatoms selected from the group consisting of O, S and N, optionally substituted with one or more substituents represented by R₇;

or a pharmaceutically acceptable salt, solvate, or ester thereof.

50. (Currently amended) A compound according to claim 49, wherein R₁ is methyl, ethyl, trifluoromethyl, methoxy, ethoxy, nitro, bromo, fluoro or chloro; wherein R₂ is methyl, ethyl,

methoxy, ethoxy, amino, nitro, bromo, fluoro or chloro; and wherein R₃ is ~~hydrogen, methyl, ethyl, methoxy, ethoxy, bromo, fluoro, or chloro.~~

51.-62. (Cancelled)

63. (Previously Presented) A compound according to claim 49, wherein R₇ is halogen, hydroxy, amino, -S(O)₂CH₃, trifluoromethyl, cyano, C₁₋₄hydroxyalkyl, C₁₋₄alkoxy, C₁₋₄alkyl, C₁₋₄alkylthio, C₁₋₄alkylamino, C₁₋₄alkoxycarbonyl, -COOH, -CONH₂, -S(O)₂NH₂, azido, -CONHR' or -CONRR', wherein R and R' are as indicated in claim 49.

64. (Previously presented) A compound according to claim 49, wherein R₇ is methyl, ethyl, methoxy, ethoxy, hydroxy, methoxycarbonyl, ethoxycarbonyl, dimethylamino, ethylamino, amino, -COOH, fluoro, chloro, bromo, -CONH₂, -S(O)₂NH₂, azido, methylthio, -S(O)₂CH₃, trifluoromethyl, cyano or hydroxymethyl.

65. (Previously Presented) A compound according to claim 49, wherein one of R₅ and R₆ is Y₂R₉, C₁₋₄alkyl-Y₂R₉, Y₂R₉Y₃R₁₀, C₁₋₄alkyl-Y₂R₉Y₃R₁₀, C₂₋₄alkenyl-Y₂R₉, C₂₋₄alkenyl-Y₂R₉Y₃R₁₀, Y₂R₉-C₁₋₄-alkyl-Y₃R₁₀, Y₂R₉-C₂₋₄-alkenyl-Y₃R₁₀, C₁₋₆heterocyclyl-C₁₋₄-alkyl-Y₂R₉, C₁₋₄alkyl-C₁₋₆heterocyclyl, C₁₋₄alkyl-C₃₋₆carbocyclyl, C₃₋₆carbocyclyl-C₁₋₄alkyl, C₁₋₄alkyl substituted by R₇, C₂₋₄alkenyl, C₂₋₄alkynyl, C₃₋₆carbocyclyl, C₁₋₆heterocyclyl, -COOH, -C(O)NHOH, or C(O)NHNH₂, and the other is hydrogen, halogen, C₁₋₄alkyl or C₁₋₄alkoxy; wherein R₉ is C₁₋₄alkyl-C₁₋₆ heterocyclyl, C₁₋₄alkyl-C₃₋₆carbocyclyl, C₁₋₆alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, C₃₋₁₀carbocyclyl, C₁₋₆heterocyclyl, C₃₋₆carbocyclyl-C₁₋₆alkyl, C₁₋₆heterocyclyl-C₁₋₆alkyl, C₃₋₆carbocyclyl-C₂₋₄alkenyl or C₃₋₆carbocyclyl-C₂₋₄alkynyl; and wherein R₁₀ is C₁₋₄alkyl, C₂₋₄alkenyl, C₃₋₆carbocyclyl or C₁₋₆heterocyclyl.

66. (Previously Presented) A compound according to claim 49, wherein R₅ is Y₂R₉, C₁₋₄alkyl-Y₂R₉, Y₂R₉Y₃R₁₀, C₁₋₄alkyl-Y₂R₉Y₃R₁₀, C₂₋₄alkenyl-Y₂R₉, C₂₋₄alkenyl-Y₂R₉Y₃R₁₀, Y₂R₉-C₁₋₄-alkyl-Y₃R₁₀, Y₂R₉-C₂₋₄-alkenyl-Y₃R₁₀, C₁₋₆heterocyclyl-C₁₋₄-alkyl-Y₂R₉, C₁₋₄alkyl-C₁₋

$\text{C}_6\text{heterocyclyl}$, $\text{C}_{1-4}\text{alkyl-C}_{3-6}\text{carbocyclyl}$, $\text{C}_{3-6}\text{carbocyclyl-C}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}$ substituted by R_7 , $\text{C}_{2-4}\text{alkenyl}$, $\text{C}_{2-4}\text{alkynyl}$, $\text{C}_{3-6}\text{carbocyclyl}$, $\text{C}_{1-6}\text{heterocyclyl}$, $-\text{COOH}$, $-\text{C}(\text{O})\text{NHOH}$, or $\text{C}(\text{O})\text{NHNH}_2$, and R_6 is hydrogen, halogen, $\text{C}_{1-4}\text{alkyl}$ or $\text{C}_{1-4}\text{alkoxy}$; wherein R_9 is $\text{C}_{1-4}\text{heterocyclyl}$, $\text{C}_{1-6}\text{alkyl}$, $\text{C}_{1-3}\text{alkyl-C}_{1-5}\text{heterocyclyl}$, $\text{C}_{6-10}\text{carbocyclyl}$, $\text{C}_{1-3}\text{alkyl-C}_6\text{carbocyclyl}$, $\text{C}_3\text{alkenyl}$, $\text{C}_6\text{carbocyclyl-C}_{1-4}\text{alkyl}$, $\text{C}_6\text{carbocyclyl-C}_3\text{alkenyl}$ or $\text{C}_6\text{carbocyclyl-C}_2\text{alkynyl}$; and wherein R_{10} is methyl, ethyl, methacryl, *tert*-butyl, tetrahydropyranyl or ethenyl.

67. (Previously Presented) A compound according to claim 49, wherein one of R_5 and R_6 is Y_2R_9 , $\text{Y}_2\text{R}_9\text{Y}_3\text{R}_{10}$, phenyl, methylphenyl, methyl, propenyl, methyl- Y_2R_9 , tetrazole, ethynyl, triazole, thiadiazole, dihydrooxazole, $-\text{COOH}$, $-\text{C}(\text{O})\text{NHOH}$, or $\text{C}(\text{O})\text{NHNH}_2$, and the other is hydrogen, fluoro, chloro, methyl or methoxy; wherein R_9 is morpholinyl, propylmorpholinyl, piperazinyl, methyl, ethyl, *n*-propyl, *n*-butyl, *tert*-butyl, isobutyl, hexyl, isopropyl, dimethylpropyl, methyltetrahydrofuranlyl, methylpyridinyl, ethylpiperazinyl, cyclohexyl, propyloxopyrrolidinyl, benzyl, methylcyclohexyl, propylphenyl, ethylmorpholinyl, allyl, ethylfuranlyl, phenyl, methylidioxoimidazolidinyl, dioxohexahydropyrimidinyl, thiazolyl, methylphenyl, ethylphenyl, methylidioxolanyl, methylthiazolyl, propenylphenyl, methylfuranlyl, thiophenyl, tetrahydropyranyl or ethynylphenyl; and wherein R_{10} is methyl, ethyl, methacryl, *tert*-butyl, tetrahydropyranyl or ethenyl.

68. (Previously Presented) A compound according to claim 49, wherein R_6 is hydrogen.

69. (Previously Presented) A compound according to claim 49, wherein R_5 is hydrogen.

70. (Previously Presented) A compound according to claim 49, wherein Y_2 is $-\text{O}-$, $-\text{NR}_a-$, $-\text{NR}_a\text{C}(\text{O})\text{NR}_b-$, $-\text{NR}_a\text{C}(\text{O})-$, $-\text{C}(\text{O})\text{NR}_a-$, $-\text{C}(\text{O})\text{NR}_a\text{O}-$, $-\text{C}(\text{O})-$, $-\text{NR}_a\text{C}(\text{O})\text{O}-$, $-\text{NR}_a\text{S}(\text{O})_2-$, $-\text{C}(\text{O})\text{NR}_a\text{NR}_b-$ or $-\text{S}(\text{O})_2\text{NR}_a-$.

71. (Previously Presented) A compound according to claim 49, wherein Y_3 is $-\text{O}-$, $-\text{NR}_a\text{C}(\text{O})-$, $-\text{C}(\text{O})\text{NR}_a-$, $-\text{C}(\text{O})-$, $-\text{C}(\text{O})\text{O}-$ or $-\text{NR}_a\text{C}(\text{O})\text{O}-$.

72.-76. (Cancelled)

77. (Previously Presented) A compound according to claim 49, wherein said heterocycle or heterocyclyl contains one or two oxygen atoms or one sulphur atom, and/or up to two nitrogen atoms, or three or four nitrogen atoms, wherein optionally one or two CH₂ ring fragments is/are replaced by one or two -C(O)- fragments respectively.

78. (Previously Presented) A compound according to claim 49, wherein Ra, Rb, or Rc independently represent hydrogen, methyl, ethyl, 2-hydroxyethyl or 2-methoxyethyl.

79. (Currently amended) A compound according to claim 49, wherein R₁ is methyl, ethyl, methoxy, ethoxy, bromo, fluoro or chloro; and R₂ is methyl, ethyl, methoxy, ethoxy, nitro, bromo, fluoro or chloro; ~~R₃ represents one substituent which is hydrogen, methyl, ethyl, methoxy, ethoxy, bromo, fluoro or chloro, and wherein R₃ is in the meta position with respect to R₄ and para with respect to -NH₂, or wherein R₃ is in the ortho position with respect to R₄ and meta with respect to -NH₂.~~

80. (Currently amended) A compound according to claim 49 selected from the group consisting of

3-[2-Chloro-4-(2,4-difluorophenylamino)benzoyl]-N-(2-hydroxyethyl)-4-methylbenzamide (Compound 115),

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-N-(2-hydroxy-ethyl)-4-methylbenzamide (Compound 120),

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-N,N-dimethyl-benzamide (Compound 121),

(2-{3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-acetylaminio)-acetic acid ethyl ester (Compound 122),

{3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-acetic acid ethyl-ester (Compound 123);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-(2-methoxy-ethyl)-4-methyl-benzamide (Compound 124);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-cyclohexyl-4-methyl-benzamide (Compound 125);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-ethyl-4-methyl-benzamide (Compound 126);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-(6-hydroxy-hexyl)-4-methyl-benzamide (Compound 127);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-isopropyl-4-methyl-benzamide (Compound 128);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-isobutyl-4-methyl-benzamide (Compound 129);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-(2,2-dimethyl-propyl)-4-methyl-benzamide (Compound 130);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-(3-methoxy-propyl)-4-methyl-benzamide (Compound 131);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-*N*-[3-(2-oxo-pyrrolidin-1-yl)-propyl]-benzamide (Compound 132);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-(2-dimethylamino-ethyl)-4-methyl-benzamide (Compound 133);

2-Methyl-acrylic acid 2-{3-[2-chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-ethyl ester (Compound 134);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-cis-(4-hydroxy-cyclohexyl)-4-methyl-benzamide (Compound 135);

3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-*N*-trans-(4-hydroxy-cyclohexyl)-4-methyl-benzamide (Compound 136);

(2-{3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-ethyl)-carbamic acid tert-butyl ester (Compound 137),
N-(2-Amino-ethyl)-3-[2-chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-benzamide (Compound 138),
(2-{3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-acetyl-amino)-acetic acid (Compound 139),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-ethyl)-4-methoxy-benzamide (compound 140),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2,2-difluoro-ethyl)-4-methoxy-benzamide (compound 141),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-fluoro-ethyl)-4-methoxy-benzamide (compound 142),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2,3-dihydroxy-propyl)-4-methoxy-benzamide (compound 143),
N-Carbamoylmethyl-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methoxy-benzamide (compound 144),
N-Carbamoylmethyl-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzamide (Compound 145),
N-Benzyl-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzamide (compound 146),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-fluoro-ethyl)-4-methyl-benzamide (compound 147),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-(2,2,2-trifluoro-ethyl)-benzamide (compound 148),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-ethyl-4-methyl-benzamide (compound 149),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-cyclohexylmethyl-4-methyl-benzamide (compound 150),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-propyl)-4-methyl-benzamide (compound 151),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2,3-dihydroxy-propyl)-4-methyl-benzamide (compound 152),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(1-hydroxymethyl-propyl)-4-methyl-benzamide (compound 153),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-(2,2,3,3,3-pentafluoro-propyl)-benzamide (compound 154),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(3-hydroxy-propyl)-4-methyl-benzamide (compound 155),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-1,1-dimethyl-ethyl)-4-methyl-benzamide (compound 156),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-1-hydroxymethyl-1-methyl-ethyl)-4-methyl-benzamide (compound 157),

{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-acetic acid ethyl ester (compound 158),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(4-hydroxy-butyl)-4-methyl-benzamide (compound 159),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(3-hydroxy-1,1-dimethyl-butyl)-4-methyl-benzamide (compound 160),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-(3-phenyl-propyl)-benzamide (compound 161),

(*R*)-3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(1-hydroxymethyl-3-methyl-butyl)-4-methyl-benzamide (compound 162),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-isopropyl-4-methyl-benzamide (compound 164),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-cyclohexyl-4-methyl-benzamide (compound 165),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2,2-difluoro-ethyl)-4-methyl-benzamide (compound 166),

5-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-4-oxo-pentanoic acid methyl ester (compound 167),

N-[(2-Carbamoyl-ethylcarbamoyl)-methyl]-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzamide (compound 168),

(2-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-acetyl-amino)-acetic acid ethyl ester (compound 169),

N-Allyl-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzamide (compound 170),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-(2-sulfamoyl-ethyl)-benzamide (compound 171),

N-(2-Acetyl-amino-ethyl)-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzamide (compound 172),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-ethyl)-4-methoxy-benzamide (compound 173),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N*-(2-fluoro-ethyl)-4-methoxy-benzamide (compound 174),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N*-(2,3-dihydroxy-propyl)-4-methoxy-benzamide (compound 175),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N*-(3-hydroxy-propyl)-4-methoxy-benzamide (compound 176),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-4-methoxy-*N*-phenethyl-benzamide (compound 177),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-1,1-dimethyl-ethyl)-4-methoxy-benzamide (compound 178),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-4-methoxy-*N*-(2-morpholin-4-yl-ethyl)-benzamide (compound 179),

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-1-hydroxymethyl-1-methyl-ethyl)-4-methoxy-benzamide (compound 180);

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-ethyl)-4-methoxy-*N*-methyl-benzamide (compound 181);

{3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-4-methoxy-benzoylamino}-acetic acid ethyl ester (compound 182);

(2-{3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-4-methoxy-benzoylamino}-acetylamino)-acetic acid-ethyl ester (compound 183);

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-*N,N*-bis-(2-hydroxy-ethyl)-4-methoxy-benzamide (compound 184);

3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-4-methoxy-*N,N*-bis-(2-methoxy-ethyl)-benzamide (compound 185);

4-Chloro-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-ethyl)-benzamide (compound 204),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-methoxy-propionamide (compound 241),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-propionamide (compound 242),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-2-(2-methoxy-ethoxy)-acetamide (compound 243),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-morpholin-4-yl-propionamide (compound 244),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-hydroxy-propionamide (compound 245),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-furan-2-yl-propionamide (compound 246),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-2-hydroxy-benzamide (compound 247),

N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-2-(2,5-dioxo-imidazolidin-4-yl)-acetamide (compound 248),
2,6-Dioxo-hexahydro-pyrimidine-4-carboxylic acid {3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-amide (compound 249),
Acrylic acid 2-{3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenylcarbamoyl}-ethyl ester (compound 250),
N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-methylsulfonyl-propionamide (compound 251),
N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-methanesulfonyl-propionamide (compound 252),
Ethanesulfonic acid {3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-amide (compound 253),
N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-4-methoxy-benzenesulfonamide (compound 254),
N-(5-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenylsulfamoyl}-4-methyl-thiazol-2-yl)-acetamide (compound 255),
5-Acetyl-2-chloro-*N*-{3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-benzenesulfonamide (compound 256),
Naphthalene-2-sulfonic acid {3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-amide (compound 257),
N-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-C-phenyl-methanesulfonamide (compound 258),
2-Methyl-acrylic acid 2-(3-{3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-ureido)-ethyl ester (compound 259),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-(2-hydroxy-ethyl)-urea (compound 260),
(3-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-ureido)-acetic acid ethyl ester (compound 261),

1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-(3-methoxy-phenyl)-urea (compound 262),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-(3-trifluoromethyl-phenyl)-urea (compound 263),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-propyl-urea (compound 264),
3-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-ureido-propionic acid ethyl ester (compound 265),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-cyclohexyl-urea (compound 266),
1-Allyl-3-{3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-urea (compound 267),
1-Benzyl-3-{3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-urea (compound 268),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-ethyl-urea (compound 269),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-phenyl-urea (compound 270),
1-Butyl-3-{3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-urea (compound 271),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-phenethyl-urea (compound 272),
2-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-ureido-benzoic acid methyl ester (compound 273),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-(3-cyano-phenyl)-urea (compound 274),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-isopropyl-urea (compound 275),

1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-(4-methoxy-phenyl)-urea (compound 276),
{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-carbamic acid benzyl ester (compound 277),
{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-carbamic acid allyl ester (compound 278),
{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-carbamic acid ethyl ester (compound 279),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(3-hydroxy-butylamino)-2-methyl-phenyl]-methanone (compound 281),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(3'-hydroxymethyl-4-methyl-biphenyl-3-yl)-methanone (compound 282),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(3'-hydroxy-4-methyl-biphenyl-3-yl)-methanone (compound 283),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(4'-methoxy-4-methyl-biphenyl-3-yl)-methanone (compound 284),
N-(3'-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4'-methyl-biphenyl-3-yl)-acetamide (compound 285),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(4-methyl-3'-trifluoromethoxy-biphenyl-3-yl)-methanone (compound 286),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(3',4',5'-trifluoro-4-methyl-biphenyl-3-yl)-methanone (compound 288),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(3',4'-dimethoxy-4-methyl-biphenyl-3-yl)-methanone (289),
3'-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4'-methyl-biphenyl-3-carbonitrile (compound 290),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-ethyl)-4-methyl-benzenesulfonamide (compound 291),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-(2-morpholin-4-yl-ethyl)-benzenesulfonamide (compound 292),
N-Allyl-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzenesulfonamide (compound 293),
N-(2-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzenesulfonylamino}-ethyl)-acetamide (compound 294),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-propyl-benzenesulfonamide (compound 295),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2,3-dihydroxy-propyl)-4-methyl-benzenesulfonamide (compound 296),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-methoxy-ethyl)-4-methyl-benzenesulfonamide (compound 297),
[4-(2,4-Difluoro-phenylamino)-2-nitro-phenyl]-[5-(4-methoxy-benzyloxy)-2-methyl-phenyl]-methanone (Compound 306),
[4-(2,4-Difluoro-phenylamino)-2-nitro-phenyl]-[5-(3-hydroxy-propoxy)-2-methyl-phenyl]-methanone (Compound 307),
[2-Amino-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(3-hydroxy-propoxy)-2-methyl-phenyl]-methanone (compound 308),
[4-(2,4-Difluoro-phenylamino)-2-nitro-phenyl]-[2-methyl-5-(2-morpholin-4-yl-ethoxy)-phenyl]-methanone (compound 309),
[2-Amino-4-(2,4-difluoro-phenylamino)-phenyl]-[2-methyl-5-(2-morpholin-4-yl-ethoxy)-phenyl]-methanone (compound 310),
[4-(2,4-Difluoro-phenylamino)-2-nitro-phenyl]-[5-(2,2-dimethyl-1,3-dioxolan-4-ylmethoxy)-2-methyl-phenyl]-methanone (compound 311),
[4-(2,4-Difluoro-phenylamino)-2-nitro-phenyl]-[5-(2,3-dihydroxy-propoxy)-2-methyl-phenyl]-methanone (compound 312),
[2-Amino-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(2,3-dihydroxy-propoxy)-2-methyl-phenyl]-methanone (compound 313),

[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[2-fluoro-5-(3-hydroxy-propoxy)-phenyl]-methanone (compound 314),

[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(2,2-dimethyl-[1,3]dioxolan-4-ylmethoxy)-2-fluoro-phenyl]-methanone (compound 315),

[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(2,3-dihydroxy-propoxy)-2-fluoro-phenyl]-methanone (Compound 316),

[2-Chloro-4-(2,6-difluoro-phenylamino)-phenyl]-[2-chloro-5-(2-morpholin-4-yl-ethoxy)-phenyl]-methanone (compound 328),

(±) [2-Chloro-4-(2,6-difluoro-phenylamino)-phenyl]-[2-chloro-5-(2,3-dihydroxy-propoxy)-phenyl]-methanone (compound 329),

[5-(3-Bromo-propoxy)-2-chloro-phenyl]-[2-chloro-4-(2,6-difluoro-phenylamino)-phenyl]-methanone (compound 330),

[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(5-hydroxymethyl-2-methyl-phenyl)-methanone (compound 331),

[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(5-chloromethyl-2-methyl-phenyl)-methanone (compound 332),

(5-Azidomethyl-2-methyl-phenyl)-[2-chloro-4-(2,4-difluoro-phenylamino)-phenyl]-methanone (compound 333),

(5-Aminomethyl-2-methyl-phenyl)-[2-chloro-4-(2,4-difluoro-phenylamino)-phenyl]-methanone (compound 334),

[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(5-hydroxymethyl-2-methoxy-phenyl)-methanone (compound 335),

Acetic acid 3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methoxy-benzyl ester (compound 336),

N-tert-Butoxy-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methoxy-benzamide (compound 337),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-methoxy-4-methyl-benzamide (compound 338),

N-Butoxy-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzamide (compound 339),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-cyclohexylmethoxy-4-methyl-benzamide (compound 340),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-(2-methyl-thiazol-4-ylmethoxy)-benzamide (compound 341),

N-benzyloxy-3-[2-chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzamide (compound 342),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(4-methoxy-benzyloxy)-4-methyl-benzamide (compound 343),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoic acid *N,N'*-dimethylhydrazide (compound 344),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-*N*-morpholin-4-yl-benzamide (compound 345),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-hydroxy-4-methyl-benzamide (compound 346),

4-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(2-hydroxy-ethyl)-3-methyl-benzamide (compound 347),

[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(3-hydroxy-propenyl)-2-methyl-phenyl]-methanone (compound 348),

4-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-thiophene-3-carboxylic acid methyl ester (compound 349),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-furan-2-ylmethyl-4-methyl-benzamide (compound 350),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-(3-methoxy-phenyl)-4-methyl-benzamide (compound 351),

2-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-benzoic acid methyl ester (compound 352),

3-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-thiophene-2-carboxylic acid methyl ester (compound 353),
4-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-thiophene-3-carboxylic acid (compound 354),
2-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-benzoic acid (compound 355),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-*N*-[2-(2-hydroxy-ethylcarbamoyl)-phenyl]-4-methyl-benzamide (compound 356),
3-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoylamino}-thiophene-2-carboxylic acid (2-hydroxy-ethyl)-amide (compound 357),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-(5-ethynyl-2-methyl-phenyl)-methanone (compound 362),
3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoic acid hydrazide (compound 364),
1-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-benzoyl}-4-ethyl-3-thio semicarbazide (compound 365),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(5-ethylamino-[1,3,4]thiadiazol-2-yl)-2-methyl-phenyl]-methanone (compound 366),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[2-methyl-5-(1H-tetrazol-5-yl)-phenyl]-methanone (compound 367),
3-{3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methyl-phenyl}-3-oxo-propionic acid ethyl ester (compound 368),
[2-Chloro-4-(2,4-difluoro-phenylamino)-phenyl]-[5-(4,5-dihydro-oxazol-2-yl)-2-methyl-phenyl]-methanone (compound 369),
3-[2-Chloro-4-(2,4-difluorophenylamino)benzoyl]-4-methylbenzoic acid (Compound 424),
2-Methylacrylic acid 2-{3-[2-chloro-4-(2,4-difluorophenylamino)benzoyl]-4-methylbenzoylamino}ethyl ester (Compound 425)
3-[2-Chloro-4-(4-chloro-2-fluoro-phenylamino)-benzoyl]-4-methyl-benzoic acid (Compound 432),

3-[2-Chloro-4-(2,4-difluoro-phenylamino)-benzoyl]-4-methoxy-benzoic acid (compound 437),
~~3-[2-Chloro-4-(2,6-difluoro-phenylamino)-benzoyl]-4-methoxy-benzoic acid (compound 443),~~


81. (Previously Presented) A pharmaceutical composition comprising a compound according to claim 49 or a pharmaceutically acceptable salt or ester thereof together with a pharmaceutically acceptable vehicle or excipient.

82. (Cancelled)


83. (Withdrawn) A method of preventing, treating or ameliorating inflammatory diseases or conditions, or ophthalmic diseases or conditions, the method comprising administering to a patient in need thereof an effective amount of a compound according to claim 49, wherein the inflammatory or ophthalmic disease or condition is selected from the group consisting of asthma, allergy, arthritis, rheumatoid arthritis, spondyloarthritis, gout, atherosclerosis, chronic inflammatory bowel disease, Crohn's disease, neurological inflammations, inflammatory eye diseases, proliferative and inflammatory skin disorders, psoriasis, atopic dermatitis, acne, uveitis, sepsis, septic shock or acne, and osteoporosis.

84.-87. (Cancelled)

88. (Withdrawn) A method for producing a compound of general structure I,




wherein R₁, R₂, R₃, R₄, R₅, and R₆ are defined as in claim 49, comprising the steps of
 a) transforming a compound general structure VI,




wherein Hal is a halogen, and R₁, R₅ and R₆ are defined as in claim 49, each of which are independently protected or unprotected, into an organometallic intermediate;

b) transmetalating said organometallic intermediate to an organozinc intermediate;

c) coupling said organozinc intermediate with an acid halide of general structure V,




wherein R₂ is defined as in claim 49, protected or unprotected, in the presence of a catalyst to give a compound of general structure IV,



wherein R₁, R₂, R₅, and R₆ are defined as above, each of which are independently protected or unprotected;

d) optionally transforming, protecting or deprotecting one or more substituents or functional groups of R₁, R₂, R₅, and R₆ of the compound of general structure IV to give another compound of general structure IV;


e) reducing the compound of general structure IV from step c) or d) to an amine of general structure III,



wherein R₁, R₂, R₅, and R₆ are defined as above, each of which are independently protected or unprotected;

f) optionally transforming, protecting or deprotecting one or more substituents or functional groups of R₁, R₂, R₅, and R₆ of the compound of general structure III to give another compound of general structure III;


g) coupling of the amine of general structure III from step e) or f) with a compound of general structure II,




wherein L is triflate or halogen, R₃ and R₄ are defined in claim 49, each of which are independently protected or unprotected, to give a compound of general structure I, wherein R₁, R₂, R₃, R₄, R₅, and R₆ are defined as above, each of which are independently protected or unprotected;

h) optionally transforming, protecting or deprotecting one or more substituents or functional groups of R₁, R₂, R₃, R₄, R₅, or R₆ of the compound of general structure I from step g) to give a another compound of general structure I.

89. (Withdrawn) A method for producing a compound of general structure I,




wherein R₁, R₂, R₃, R₄, R₅, and R₆ are defined as in claim 49, comprising the steps of
a) transforming a compound general structure VIIa,




wherein Hal is halogen, W is halogen or triflate, and R₂ is as defined in claim 49, protected or unprotected, into an organometallic intermediate;

- b) transmetalating said organometallic intermediate to an organozinc intermediate;
c) coupling said organozinc intermediate with an acid halide of general structure VIII,




wherein R₁, R₅, and R₆ are as defined in claim 49, each of which are independently protected or unprotected, in the presence of a catalyst to give a compound of general structure IIIa,



wherein W, R₁, R₂, R₅, and R₆ are defined as above, each of which are independently protected or unprotected;

d) optionally transforming, protecting or deprotecting one or more substituents or functional groups of W, R₁, R₂, R₅, and R₆ of the compound of general structure IIIa to give another compound of general structure IIIa;

e) coupling of the compound of general structure IIIa from step c) or d) with an amine of general structure IIa,



wherein R₃ and R₄ are defined as in claim 49, each of which are independently protected or unprotected, to give a compound of general structure I,

wherein R₁, R₂, R₃, R₄, R₅, and R₆ are defined as above, each of which are independently protected or unprotected;

f) optionally transforming, protecting or deprotecting one or more substituents or functional groups of R₁, R₂, R₃, R₄, R₅, or R₆ of the compound of general structure I from step e) to give another compound of general structure I.

90. (Cancelled)

91. (Previously Presented) A composition according to claim 81 further comprising another active component selected from the group consisting of glucocorticoids, vitamin D analogues, anti-histamines, platelet activating factor (PAF) antagonists, anticholinergic agents, methyl xanthines, β -adrenergic agents, COX-2 inhibitors, salicylates, indomethacin, flufenamate, naproxen, timogadine, gold salts, penicillamine, serum cholesterol reducing agents, retinoids, zinc salts and salicylazosulfapyridin.

92. (Withdrawn) A method of preventing, treating or ameliorating acute macular degeneration or age-related macular degeneration, the method comprising administering to a patient in need thereof an effective amount of a compound according to claim 49.